

2017

# The Other Moore Method

Dominic Klyve

*Central Washington University*, [klyved@cwu.edu](mailto:klyved@cwu.edu)

Follow this and additional works at: <https://digitalcommons.cwu.edu/math>

 Part of the [Legal Education Commons](#)

---

## Recommended Citation

To cite this article: Dominic Klyve (2017) The Other Moore Method, *The American Mathematical Monthly*, 124:7, 641-641 DOI: <https://doi.org/10.4169/amer.math.monthly.124.7.641>

This Article is brought to you for free and open access by the College of the Sciences at ScholarWorks@CWU. It has been accepted for inclusion in Mathematics Faculty Scholarship by an authorized administrator of ScholarWorks@CWU. For more information, please contact [pingfu@cwu.edu](mailto:pingfu@cwu.edu).



4. P. Csikvári, Z. Lin, Graph homomorphisms between trees, *Electron. J. Combin.* **21** (2014) Paper 4.9, 38.
5. M. A. Fiol, E. Garriga, Number of walks and degree powers in a graph, *Discrete Math.* **309** (2009) 2613–2614.
6. P. Gopalan, R. Servedio, A. Tal, A. Wigderson, Degree and sensitivity: Tails of two distributions (2015), <https://arxiv.org/abs/1604.07432>.
7. A. J. Hoffman, Three observations on nonnegative matrices, *J. Res. Nat. Bur. Standards Sect. B* **71B** (1967) 39–41.
8. D. E. Knuth, Mathematics and computer science: Coping with finiteness, *Science* **194** (1976) 1235–1242.
9. D. A. Levin, Y. Peres, E. L. Wilmer, *Markov Chains and Mixing Times*, American Mathematical Society, Providence, RI, 2009, With a chapter by J. G. Propp, D. B. Wilson.
10. D. London, Two inequalities in nonnegative symmetric matrices, *Pacific J. Math.* **16** (1966) 515–536.
11. L. Lovász, *Large Networks and Graph Limits*, American Mathematical Society Colloquium Publications, Vol. 60, American Mathematical Society, Providence, RI, 2012.
12. A. Sidorenko, Proof of london’s conjecture on sums of elements of positive matrices, *Math. Notes Acad. Sci. USSR* **38** (1985) 716–717.
13. ———, A correlation inequality for bipartite graphs, *Graphs Combin.* **9** (1993) 201–204.
14. ———, A partially ordered set of functionals corresponding to graphs, *Discrete Math.* **131** (1994) 263–277.
15. H. Täubig, The number of walks and degree powers in directed graphs (2012), Tech. Rep. TUM-I123, TU Munich.

*Department of Mathematics, University of Oregon, Eugene, OR 97403.*  
[dlevin@uoregon.edu](mailto:dlevin@uoregon.edu)

*Microsoft Research, Redmond, WA.*  
[peres@microsoft.com](mailto:peres@microsoft.com)

## The Other Moore Method

It turns out that mathematics is not the only field in which a great practitioner named Moore has used unorthodox teaching methods. In legal circles, William Underhill Moore (1879–1949) may have been as great and influential a legal thinker as Robert Lee Moore was a mathematician. Perhaps the name gives rise to unusual teaching, and the legal Moore, born three years before R. L. Moore, was no exception. W. U. Moore’s teaching is described in Bruce Murphy’s biography of his protégé, the great Supreme Court Justice William O. Douglas. Murphy writes:

The brilliant and eccentric Moore believed that no important legal principle should be taught without first pounding on the desk to get students’ attention. Only when the class began responding by pounding on their own desks in response, he believed, could the teacher-student relationship evolve. [1, p. 48]

The legal Moore’s method, however, has been less influential than the mathematical Moore’s. I know of no law school in the country in which this tradition is practiced today.

—Submitted by Dominic Klyve

<http://dx.doi.org/10.4169/amer.math.monthly.124.7.641>  
 MSC: Primary 97A30

### REFERENCES

1. B. Murphy, *Wild Bill: The Legend and Life of William O. Douglas*. Random House, New York, 2003, <http://dx.doi.org/10.5860/choice.41-0602>.